

## 1. TABULAR DESCRIPTION

HUE 2K ARRIVAL										
Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
010	IF	HUE	–	–	+1	–	–	–	–	RNAV 1
020	TF	HINTA	–	126(125.0)	+1	45.27	–	+2750	–	RNAV 1
030	TF	DN369	–	169(167.8)	+1	16.70	–	-2450	-420	RNAV 1
040	TF	TAWAN	–	173(172.0)	+1	18.46	–	–	–	RNAV 1
050	TF	DOTEN	–	173(171.8)	+1	9.78	–	+1850	–	RNAV 1
060	TF	TRACO	–	173(172.0)	+1	18.50	–	–	–	RNAV 1
070	TF	CADAS	–	083(082.0)	+1	13.03	–	–	–	RNAV 1
080	TF	MONRY	–	353(351.7)	+1	9.23	–	+1500	-390	RNAV 1
090	TF	TAMLA	–	353(352.2)	+1	9.81	–	+1350	–	RNAV 1

CAHEO 2K ARRIVAL										
Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
010	IF	CAHEO	–	–	+1	–	–	+FL130	–	RNAV 1
020	TF	HINTA	–	169(167.7)	+1	41.78	–	+2750	–	RNAV 1
030	TF	DN369	–	169(167.8)	+1	16.70	–	-2450	-420	RNAV 1
040	TF	TAWAN	–	173(172.0)	+1	18.46	–	–	–	RNAV 1
050	TF	DOTEN	–	173(171.8)	+1	9.78	–	+1850	–	RNAV 1
060	TF	TRACO	–	173(172.0)	+1	18.50	–	–	–	RNAV 1
070	TF	CADAS	–	083(082.0)	+1	13.03	–	–	–	RNAV 1
080	TF	MONRY	–	353(351.7)	+1	9.23	–	+1500	-390	RNAV 1
090	TF	TAMLA	–	353(352.2)	+1	9.81	–	+1350	–	RNAV 1

BUNTA 2K ARRIVAL										
Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
010	IF	BUNTA	–	–	+1	–	–	–	–	RNAV 1
020	TF	KANGU	–	237(235.9)	+1	94.26	–	+FL130	–	RNAV 1
030	TF	HINTA	–	254(252.7)	+1	69.02	–	+2750	–	RNAV 1
040	TF	DN369	–	169(167.8)	+1	16.70	–	-2450	-420	RNAV 1
050	TF	TAWAN	–	173(172.0)	+1	18.46	–	–	–	RNAV 1
060	TF	DOTEN	–	173(171.8)	+1	9.78	–	+1850	–	RNAV 1
070	TF	TRACO	–	173(172.0)	+1	18.50	–	–	–	RNAV 1
080	TF	CADAS	–	083(082.0)	+1	13.03	–	–	–	RNAV 1
090	TF	MONRY	–	353(351.7)	+1	9.23	–	+1500	-390	RNAV 1
100	TF	TAMLA	–	353(352.2)	+1	9.81	–	+1350	–	RNAV 1