

1. TABULAR DESCRIPTION

HABAN 1G DEPARTURE

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Min CG (%)	Nav Spec
010	CF	VH135	-	354(352.6)	+1	-	-	-	-	7.0	RNP 1
020	TF	VH335	-	264(262.6)	+1	9.3	-	-	-370	7.0	RNP 1
030	TF	VH435	-	174(172.6)	+1	15.1	-	@2150	-	7.0	RNP 1
040	TF	VH735	-	124(122.6)	+1	14.8	-	+2450	-	-	RNP 1
050	TF	VH935	-	124(122.7)	+1	12.5	-	+FL110	-	7.3	RNP 1
060	TF	HABAN	-	124(122.7)	+1	6.3	-	-	-	-	RNP 1

KAMSU 1F TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Min CG (%)	Nav Spec
010	IF	HABAN	-	-	+1	-	-	-	-	-	RNP 1
020	TF	KAMSU	-	141(139.8)	+1	38.8	-	-	-	-	RNP 1

DULAG 1G DEPARTURE

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Min CG (%)	Nav Spec
010	CF	VH135	-	354(352.6)	+1	-	-	-	-	7.0	RNP 1
020	TF	VH335	-	264(262.6)	+1	9.3	-	-	-370	7.0	RNP 1
030	TF	VH435	-	174(172.6)	+1	15.1	-	@2150	-	7.0	RNP 1
040	TF	DULAG	-	174(172.6)	+1	24.7	-	+2750	-	-	RNP 1

KAMSU 1G TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Min CG (%)	Nav Spec
010	IF	DULAG	-	-	+1	-	-	+2750	-	-	RNP 1
020	TF	KAMSU	-	116(114.8)	+1	55.2	-	-	-	-	RNP 1

LALEB 1G DEPARTURE

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Min CG (%)	Nav Spec
010	CF	VH135	-	354(352.6)	+1	-	-	-	-370	6.4	RNP 1
020	TF	VH335	-	264(262.6)	+1	9.3	-	-	-	6.4	RNP 1
030	TF	LALEB	-	264(262.6)	+1	18.5	-	@2150	-	6.4	RNP 1

IDOTA 1G TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Min CG (%)	Nav Spec
010	IF	LALEB	-	-	+1	-	-	@2150	-	-	RNP 1
020	TF	IDOTA	-	248(246.8)	+1	29.5	-	+FL130	-	6.2	RNP 1