

# Procedure coding

## 1. KAMSU ONE KILO ARRIVAL (KAMSU 1K)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
1	IF	KAMSU	-	-	+1	-	-	+2750	-	RNP 1
2	TF	VH653	-	321 (319.9)	+1	18.9	-	-2750	-	RNP 1
3	TF	DAKOD	-	321 (319.9)	+1	13.0	-	@2150	-	RNP 1
4	TF	NUBTO	-	292 (290.9)	+1	8.5	-	+1500	-	RNP 1

## 2. CAURO ONE KILO ARRIVAL (CAURO 1K)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
1	IF	CAURO	-	-	+1	-	-	+2450	-	RNP 1
2	TF	VH101	-	136 (135.3)	+1	12.8	-	-1850	-	RNP 1
3	TF	MONVA	-	136 (135.3)	+1	15.3	-	+1500	-	RNP 1

## IDOTA 1K TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
1	IF	IDOTA	-	-	+1	-	-	+FL130	-	RNP 1
2	TF	CAURO	-	086 (085.3)	+1	26.3	-	+2450	-	RNP 1

## 3. GUKAL ONE KILO ARRIVAL (GUKAL 1K)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
1	IF	GUKAL	-	-	+1	-	-	-	-	RNP 1
2	TF	VH202	-	086 (085.0)	+1	39.2	-	+2450	-	RNP 1
3	TF	VIGAS	-	176 (175.3)	+1	19.3	-	@1500	-	RNP 1
4	TF	XODIS	-	176 (175.3)	+1	16.7	-	@1500	-	RNP 1

## IDOTA 1L TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
1	IF	IDOTA	-	-	+1	-	-	+FL130	-	RNP 1
2	TF	GUKAL	-	060 (058.6)	+1	34.6	-	-	-	RNP 1

## 4. DOMPU ONE KILO ARRIVAL (DOMPU 1K)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
1	IF	DOMPU	-	-	+1	-	-	-	-	RNP 1
2	TF	XIMSO	-	176 (175.2)	+1	14.8	-	+2750	-	RNP 1
3	TF	VH202	-	176 (175.2)	+1	10.4	-	+2450	-	RNP 1
4	TF	VIGAS	-	176 (175.3)	+1	19.3	-	@1500	-	RNP 1
5	TF	XODIS	-	176 (175.3)	+1	16.7	-	@1500	-	RNP 1

## NAH 1K TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
1	IF	NAH	-	-	+1	-	-	-	-	RNP 1
2	TF	DOMPU	-	196 (194.5)	+1	145.7	-	-	-	RNP 1