

Procedure coding

1. RNP 1 RWY 09: HONGA TWO FOXTROT ARRIVAL (HONGA 2F)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	HONGA	-	-	0	-	-	+FL110	-	RNP 1
2	TF	DL903	-	184 (183.6)	0	38.7	-	+2450	-	RNP 1
3	TF	DL902	-	267 (266.9)	0	11.1	R	+2150	-	RNP 1

BMT 1D TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	BMT	-	-	0	-	-	-	-	RNP 1
2	TF	BOGOK	-	166 (165.9)	0	29.9	-	+FL160	-	RNP 1
3	TF	DL904	-	166 (165.9)	0	37.0	-	+FL120	-	RNP 1
4	TF	HONGA	-	166 (166.0)	0	7.6	-	+FL110	-	RNP 1

2. RNP 1 RWY 09: ROZAN ONE ALPHA ARRIVAL (ROZAN 1A)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	ROZAN	-	-	0	-	-	+2450	-	RNP 1
2	TF	DL901	-	178 (177.8)	0	10.6	-	+2150	-	RNP 1

BMT 2B TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	BMT	-	-	0	-	-	-	-	RNP 1
2	TF	SALUV	-	178 (177.8)	0	30.1	-	+FL160	-	RNP 1
3	TF	DL905	-	178 (177.8)	0	22.3	-	+FL120	-	RNP 1
4	TF	ROZAN	-	178 (177.8)	0	30.0	-	+2450	-	RNP 1

3. RNP 1 RWY 09: KANAM TWO FOXTROT ARRIVAL (KANAM 2F)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	KANAM	-	-	0	-	-	-	-	RNP 1
2	TF	LKH	-	254 (254.2)	0	31.3	-	+FL120	-	RNP 1
3	TF	DL903	-	224 (224.0)	0	13.8	L	+2450	-	RNP 1
4	TF	DL902	-	267 (266.9)	0	11.1	R	+2150	-	RNP 1

4. RNP 1 RWY 09: DILIN TWO ECHO ARRIVAL (DILIN 2E)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	DILIN	-	-	0	-	-	+2450	-	RNP 1
2	TF	DL902	-	026.0 (025.7)	0	6.8	-	+2150	-	RNP 1

ANTRI 2A TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	ANTRI	-	-	0	-	-	-	-	RNP 1
2	TF	DL620	-	064 (063.5)	0	82.2	-	-	-	RNP 1
3	TF	DILIN	-	064 (063.7)	0	27.8	-	+2450	-	RNP 1

KADUM 2A TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	KADUM	-	-	0	-	-	-	-	RNP 1
2	TF	DL610	-	077 (076.9)	0	93.1	-	-	-	RNP 1
3	TF	DILIN	-	077 (077.0)	0	27.8	-	+2450	-	RNP 1