

1. TABULAR DESCRIPTION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	VPA/TCH	Nav Spec
010	IF	DONGI	–	–	+1	–	–	+900	-390	–	RNP APCH
020	TF	LERNU	–	279(277.8)	+1	13.7	–	–	–	–	RNP APCH
030	TF	DH402	–	207(206.4)	+1	11.19	–	@900	–	–	RNP APCH
040	TF	DH401	–	127(126.1)	+1	9.33	–	@600	–	–	RNP APCH
050	TF	RWY11 (MAPT)	Y	115(114.1)	+1	10.85	–	@31	–	-3.0/ 15.25	RNP APCH
060	CF	DH510	–	115(114.1)	+1	–	–	–	–	–	RNP APCH
070	TF	DH405	–	038(037.2)	+1	13.04	–	–	–	–	RNP APCH
080	TF	DONGI	–	307(305.6)	+1	21.59	–	@900	-390	–	RNP APCH
090	HM	DONGI	–	279(277.8)	+1	–	R	+900	-390	–	RNP APCH

2. HOLDING PROCEDURES

Holding Fix	Inbound Course °M(°T)	Magnetic Variation	Time (min)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
DONGI	279(277.8)	+1	1 ≤ FL140 1.5 > FL140	R	+900	-390	RNP APCH

3. WAYPOINT LIST

WAYPOINT ID	COORDINATES (WGS-84)	
DH401	17°33'28.2"N	106°29'29.4"E
DH402	17°36'27.0"N	106°25'13.6"E
DH405	17°34'05.0"N	106°45'39.0"E
DH510	17°28'27.0"N	106°41'12.0"E
DONGI	17°40'53.0"N	106°35'43.0"E
LERNU	17°41'53.0"N	106°28'02.2"E
RWY11	17°31'04.24"N	106°35'05.18"E