

1. TABULAR DESCRIPTION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	VPA/TCH	Nav Spec
010	IF	VIPID	–	–	+1	–	–	+1500	-380	–	RNP APCH
020	TF	DH802	–	298(296.7)	+1	12.96	–	@900	–	–	RNP APCH
010	IF	ISVAM	–	–	+1	–	–	+1500	-380	–	RNP APCH
020	TF	DH802	–	205(204.2)	+1	12.96	–	@900	–	–	RNP APCH
010	IF	DH802	–	–	+1	–	–	@900	–	–	RNP APCH
020	TF	DH800	–	295(294.1)	+1	9.28	–	@600	–	–	RNP APCH
030	TF	RWY29 (MAPT)	Y	295(294.1)	+1	10.94	–	@26	–	-3.0/ 15.25	RNP APCH
020	FA	RWY29	–	295(294.1)	+1	–	–	+450	–	–	RNP APCH
030	DF	DONGI	–	–	+1	–	R	@900	-360	–	RNP APCH
040	HM	DONGI	–	123(122.0)	+1	–	L	+900	-360	–	RNP APCH

2. HOLDING PROCEDURES

Holding Fix	Inbound Course °M(°T)	Magnetic Variation	Time (min)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
DONGI	123(122.0)	+1	1 ≤ FL140 1.5 > FL140	L	+900	-360	RNP APCH

3. WAYPOINT LIST

WAYPOINT ID	COORDINATES (WGS-84)	
DH800	17°28'07.1"N	106°41'58.1"E
DH802	17°26'03.7"N	106°46'45.1"E
DONGI	17°40'53.0"N	106°35'43.0"E
ISVAM	17°32'28.5"N	106°49'44.8"E
VIPID	17°22'54.1"N	106°53'17.4"E
RWY29	17°30'32.39"N	106°36'19.47"E