

1. TABULAR DESCRIPTION

DAN 1Q ARRIVAL

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
010	IF	DAN	-	-	+1	-	-	-	-	RNP 1
020	TF	SADIN	-	182(181.2)	+1	107.66	-	-	-	RNP 1
030	TF	TORUT	-	182(181.2)	+1	71.14	-	+FL130	-	RNP 1
040	TF	PK716	-	182(181.2)	+1	24.32	-	-	-	RNP 1
050	TF	PK714	-	150(148.7)	+1	12.88	-	+2150	-	RNP 1

CQ 1Q ARRIVAL

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
010	IF	CQ	-	-	+1	-	-	-	-	RNP 1
020	TF	TALAP	-	206(205.3)	+1	121.98	-	+FL130	-	RNP 1
030	TF	PK716	-	198(197.2)	+1	22.88	-	-	-	RNP 1
040	TF	PK714	-	150(148.7)	+1	12.88	-	+2150	-	RNP 1

PATMA 1D ARRIVAL

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
010	IF	PATMA	-	-	+1	-	-	-	-	RNP 1
020	TF	SADAS	-	002(001.1)	+1	108.84	-	-	-	RNP 1
030	TF	TEDIG	-	002(001.2)	+1	30.28	-	+FL110	-	RNP 1
040	TF	PK717	-	002(001.2)	+1	25.11	-	-	-	RNP 1
050	TF	PK715	-	081(080.1)	+1	27.73	-	+2750	-	RNP 1
060	TF	PK713	-	081(080.3)	+1	13.52	-	+2150	-	RNP 1

BMT 1D ARRIVAL

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
010	IF	BMT	-	-	+1	-	-	-	-	RNP 1
020	TF	SADAS	-	337(336.3)	+1	79.01	-	-	-	RNP 1
030	TF	TEDIG	-	002(001.2)	+1	30.28	-	+FL110	-	RNP 1
040	TF	PK717	-	002(001.2)	+1	25.11	-	-	-	RNP 1
050	TF	PK715	-	081(080.1)	+1	27.73	-	+2750	-	RNP 1
060	TF	PK713	-	081(080.3)	+1	13.52	-	+2150	-	RNP 1