

1. TABULAR DESCRIPTION

BODOD 1G ARRIVAL

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	VPA/TCH	Nav Spec
010	IF	BODOD	-	-	0	-	-	-	-	-	RNP 1
020	TF	ASAGO	-	187(186.9)	0	75.67	-	+2150	-	-	RNP 1
030	TF	CS613	-	156(156.4)	0	24.48	-	+1200	-	-	RNP 1

NIXIV 1G ARRIVAL

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	VPA/TCH	Nav Spec
010	IF	NIXIV	-	-	0	-	-	-	-	-	RNP 1
020	TF	ASAGO	-	162(162.1)	0	50.35	-	+2150	-	-	RNP 1
030	TF	CS613	-	156(156.4)	0	24.48	-	+1200	-	-	RNP 1

VEPKI 1G ARRIVAL

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	VPA/TCH	Nav Spec
010	IF	VEPKI	-	-	0	-	-	-	-	-	RNP 1
020	TF	VUSON	-	112(111.8)	0	30.23	-	+2750	-	-	RNP 1
030	TF	ASAGO	-	107(106.8)	0	16.78	-	+2150	-	-	RNP 1
040	TF	CS613	-	156(156.4)	0	24.48	-	+1200	-	-	RNP 1

2. HOLDING PROCEDURES

Holding Fix	Inbound Course °M(°T)	Magnetic Variation	Time (min)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
ASAGO	156(156.4)	0	1 ≤ FL140 1.5 > FL140	L	+2150	-425 ≤ FL140 -445 > FL140	RNP 1
CS613	199(199.5)	0	1 ≤ FL140 1.5 > FL140	L	+1200	-425 ≤ FL140 -445 > FL140	RNP 1

3. WAYPOINT LIST

WAYPOINT ID	COORDINATES (WGS-84)	
BODOD	09°38'22"N	106°51'29"E
CS613	08°45'27"N	106°51'51"E
ASAGO	08°57'37"N	106°46'30"E
NIXIV	09°23'36"N	106°38'02"E
VEPKI	09°06'21"N	106°22'25"E
VUSON	09°00'15"N	106°37'44"E