

**1. TABULAR DESCRIPTION**

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	VPA/TCH	Nav Spec
010	IF	CM713	-	-	0	-	-	+1200	-	-	RNP APCH
020	TF	CM712	-	182(181.7)	0	11.14	-	+750	-	-	RNP APCH
010	IF	CM800	-	-	0	-	-	+900	-	-	RNP APCH
020	TF	CM714	-	077(076.8)	0	18.91	-	-	-	-	RNP APCH
030	TF	CM712	-	001(001.4)	0	9.30	-	+750	-	-	RNP APCH
010	IF	CM712	-	-	0	-	-	+750	-	-	RNP APCH
020	TF	CM711	-	272(271.6)	0	9.26	-	@450	-	-	RNP APCH
030	TF	RWY27	Y	272(271.6)	0	8.26	-	@17	-	-3.0/ 15.25	RNP APCH
040	CA	-	-	272(271.6)	0	-	-	+300	-	-	RNP APCH
050	DF	CM800	-	-	0	-	L	@900	-	-	RNP APCH
060	HM	CM800	-	077(077.0)	0	-	R	+900	-	-	RNP APCH

**2. HOLDING PROCEDURES**

Holding Fix	Inbound Course °M(°T)	Magnetic Variation	Time (min)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
CM713	182(182.0)	0	1 ≤ FL140 1.5 > FL140	L	+1200	-425 ≤ FL140 -445 > FL140	RNP APCH
CM800	077(077.0)	0	1 ≤ FL140 1.5 > FL140	R	+900	-425 ≤ FL140 -445 > FL140	RNP APCH

**3. WAYPOINT LIST**

WAYPOINT ID	COORDINATES (WGS-84)	
CM713	09°16'25.0"N	105°20'49.0"E
CM714	09°05'20.0"N	105°20'31.0"E
CM712	09°10'22.7"N	105°20'38.5"E
CM711	09°10'31.0"N	105°15'35.2"E
RWY27	09°10'38.22"N	105°11'04.89"E
CM800	09°03'00.0"N	105°10'28.0"E