

1. TABULAR DESCRIPTION

VIN 1Q ARRIVAL											
Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	VPA/TCH	Nav Spec
010	IF	VIN	–	–	+1	–	–	–	–	–	RNAV 1
020	TF	HARON	–	353(351.8)	+1	72.01	–	@FL140	-465	–	RNAV 1
030	TF	TX527	–	008(007.2)	+1	9.52	–	–	-400	–	RNAV 1
040	TF	TX525	–	082(080.9)	+1	9.36	–	–	–	–	RNAV 1
050	TF	TX523	–	049(048.4)	+1	9.36	–	–	–	–	RNAV 1
060	TF	TX521	–	017(015.9)	+1	9.34	–	@FL140	–	–	RNAV 1
070	TF	TUNPI	–	271(269.6)	+1	16.68	–	+FL120	–	–	RNAV 1
080	TF	TX853	–	315(314.3)	+1	24.93	–	+2750	–	–	RNAV 1
090	TF	TX851	–	315(314.2)	+1	28.99	–	+1500	-390	–	RNAV 1

2. HOLDING PROCEDURES

Holding Fix	Inbound Course °M(°T)	Magnetic Variation	Time (min)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
HARON	008(007.3)	+1	1 ≤ FL140 1.5 > FL140	R	+FL140	-425 ≤ FL140 -445 > FL140	RNAV 1

3. WAYPOINT LIST

WAYPOINT ID	COORDINATES (WGS-84)	
HARON	19°22'41"N	105°34'16"E
TUNPI	19°36'46"N	105°36'10"E
TX521	19°36'50"N	105°45'42"E
TX523	19°31'58"N	105°44'14"E
TX525	19°28'36"N	105°40'14"E
TX527	19°27'48"N	105°34'57"E
TX851	19°57'09"N	105°14'02"E
TX853	19°46'12"N	105°25'57"E
VIN	18°44'03"N	105°40'06"E