







LEGEND	
CONTROL AREA	CTR 
REPORTING POINT (ON REQUEST)	
REPORTING POINT (COMPULSORY)	
ATS ROUTE	 B468
DIST IN KILOMETRES	 30
LOWER LIMIT	 FL200
MAGNETIC BEARING	182°
RADIO NAVIGATION AID	
NAME	DIEN BIEN
NAVAID TYPE AND FREQUENCY IDENTIFICATION COORDINATES	VOR/DME 113.6 DBN ≡≡≡ 21°22'25"N 103°00'28"E
ELEVATION OF DME ANTENNA	480 m
AREA MINIMUM ALTITUDE (AMA)	
EACH 1° QUADRILATERAL CONTAINS AN AREA MINIMUM ALTITUDE (AMA) WHICH REPRESENTS THE LOWEST ALTITUDE WHICH MAY BE USED UNDER INSTRUMENT METEOROLOGICAL CONDITIONS (IMC). THE AMA PROVIDES A MINIMUM CLEARANCE OF 300 METRES (600M IN MOUNTAINOUS AREAS) ABOVE ALL OBSTACLES IN THE QUADRILATERAL. IT IS REPRESENTED IN THOUSANDS AND TENS OF METRES ABOVE MEAN SEA LEVEL (MSL).	
EXAMPLE: 3 200 METRES 320	

