

Procedure coding

1. RWY 07L/R - RNAV 1: BACHU TWO CHARLIE DEPARTURE (BACHU 2C)

INITIAL CLIMB RWY 07L

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Radius (km)	Arc Center ID	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	RW07L	-	-	+1	-	-	-	-	-	-	RNAV 1
2	TF	TS854	-	070 (069.1)	+1	7.3	-	-	-	-	-	RNAV 1
3	RF	TS856	-	255 (254.1)	+1	15.3	5.0	TSC02	L	-1350	-425	RNAV 1

INITIAL CLIMB RWY 07R

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Radius (km)	Arc Center ID	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	RW07R	-	-	+1	-	-	-	-	-	-	RNAV 1
2	TF	TS852	-	070 (069.1)	+1	6.7	-	-	-	-	-	RNAV 1
3	RF	TS856	-	255 (254.1)	+1	15.8	5.2	TSC01	L	-1350	-425	RNAV 1

BACHU 2C FROM TS856

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Radius (km)	Arc Center ID	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	TS856	-	-	+1	-	-	-	-	-1350	-425	RNAV 1
2	TF	TS858	-	255 (254.1)	+1	31.8	-	-	-	+2750	-	RNAV 1
3	TF	BACHU	-	237 (235.5)	+1	51.0	-	-	-	-	-	RNAV 1

2. RWY 07L/R - RNAV 1: MISAN TWO CHARLIE DEPARTURE (MISAN 2C)

INITIAL CLIMB RWY 07L

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Radius (km)	Arc Center ID	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	RW07L	-	-	+1	-	-	-	-	-	-	RNAV 1
2	TF	TS854	-	070 (069.1)	+1	7.3	-	-	-	-	-	RNAV 1
3	RF	TS856	-	255 (254.1)	+1	15.3	5.0	TSC02	L	-1350	-425	RNAV 1

INITIAL CLIMB RWY 07R

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Radius (km)	Arc Center ID	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	RW07R	-	-	+1	-	-	-	-	-	-	RNAV 1
2	TF	TS852	-	070 (069.1)	+1	6.7	-	-	-	-	-	RNAV 1
3	RF	TS856	-	255 (254.1)	+1	15.8	5.2	TSC01	L	-1350	-425	RNAV 1

MISAN 2C CODING FROM TS856

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Radius (km)	Arc Center ID	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	TS856	-	-	+1	-	-	-	-	-1350	-425	RNAV 1
2	TF	TS858	-	255 (254.1)	+1	31.8	-	-	-	+2750	-	RNAV 1
3	TF	MISAN	-	224 (222.8)	+1	55.0	-	-	-	-	-	RNAV 1

TRN TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Radius (km)	Arc Center ID	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	MISAN	-	-	+1	-	-	-	-	-	-	RNAV 1
2	TF	TRN	-	222 (220.7)	+1	57.9	-	-	-	-	-	RNAV 1