

**1. TABULAR DESCRIPTION**

BITIS 2G ARRIVAL

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
010	IF	BITIS	-	-	+1	-	-	-	-	RNAV 1
020	TF	TS566	-	029 (028.3)	+1	23.3	-	@1500	-460	RNAV 1
030	TF	TS564	-	097 (096.3)	+1	16.7	-	-	-	RNAV 1
040	TF	TS562	-	062 (061.3)	+1	16.7	-	@1500	-	RNAV 1
050	TF	SAMDU	-	315 (313.8)	+1	27.8	-	-1500	-425	RNAV 1

TRN TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
010	IF	TRN	-	-	+1	-	-	-	-	RNAV 1
020	TF	BITIS	-	072 (071.2)	+1	62.8	-	-	-	RNAV 1

SAPEN 2G ARRIVAL

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
010	IF	SAPEN	-	-	+1	-	-	-	-	RNAV 1
020	TF	TS584	-	114 (113.3)	+1	15.6	-	-	-	RNAV 1
030	TF	TS582	-	204 (203.4)	+1	16.2	-	-2450	-	RNAV 1
040	TF	LOTVU	-	204 (203.3)	+1	15.9	-	@1500	-460	RNAV 1
050	TF	TS568	-	167 (166.3)	+1	16.7	-	-	-	RNAV 1
060	TF	TS566	-	132 (131.3)	+1	16.7	-	-	-	RNAV 1
070	TF	TS564	-	097 (096.3)	+1	16.7	-	-	-	RNAV 1
080	TF	TS562	-	062 (061.3)	+1	16.7	-	@1500	-	RNAV 1
090	TF	SAMDU	-	315 (313.8)	+1	27.8	-	-1500	-425	RNAV 1

**2. HOLDING PROCEDURES**

Holding Fix	Inbound Course °M(°T)	Magnetic Variation	Time (s)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
BITIS	029 (028.0)	+1	90	L	-FL200 +2450	-425	RNAV 1

**3. WAYPOINT LIST**

Waypoint Identifier	Coordinates (WGS-84)		Waypoint Identifier	Coordinates (WGS-84)	
BITIS	10°15'59.000"N	106°14'54.000"E	TS564	10°26'06.113"N	106°30'02.027"E
LOTVU	10°41'52.594"N	106°11'52.451"E	TS566	10°27'05.737"N	106°20'55.999"E
SAMDU	10°40'53.045"N	106°27'04.614"E	TS568	10°33'04.408"N	106°14'03.038"E
SAPEN	11°01'12.000"N	106°11'00.000"E	TS582	10°49'48.534"N	106°15'20.165"E
TRN	10°05'00.000"N	105°42'20.000"E	TS584	10°57'51.142"N	106°18'50.995"E
TS562	10°30'27.062"N	106°38'04.019"E			