

1. TABULAR DESCRIPTION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	VPA/TCH	Nav Spec
010	IF	RG813	-	-	0	-	-	+1200	-	-	RNP APCH
020	TF	RG812	-	165(165.5)	0	11.14	-	@750	-	-	RNP APCH
010	IF	RG826	-	-	0	-	-	+900	-	-	RNP APCH
020	TF	RG814	-	281(281.4)	0	26.02	-	+900	-	-	RNP APCH
030	TF	RG812	-	346(345.6)	0	9.26	-	@750	-	-	RNP APCH
010	IF	RG812	-	-	0	-	-	@750	-	-	RNP APCH
020	TF	RG811	-	076(075.5)	0	9.26	-	@450	-	-	RNP APCH
030	TF	RWY08 (MAPT)	Y	076(075.6)	0	8.26	-	@17	-	-3.0/ 15.25	RNP APCH
040	CA	-	-	076(075.6)	0	-	-	+300	-	-	RNP APCH
050	DF	RG826	-	-	0	-	-	@900	-	-	RNP APCH
060	HM	RG826	-	281(281.0)	0	-	L	+900	-	-	RNP APCH

2. HOLDING PROCEDURES

Holding Fix	Inbound Course °M(°T)	Magnetic Variation	Time (min)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
RG813	165(165.0)	0	1 ≤ FL140 1.5 > FL140	R	+1200	-425 ≤ FL140 -445 > FL140	RNP APCH
RG826	281(281.0)	0	1 ≤ FL140 1.5 > FL140	L	+900	-425 ≤ FL140 -445 > FL140	RNP APCH

3. WAYPOINT LIST

WAYPOINT ID	COORDINATES (WGS-84)	
RG814	09°50'09.0"N	104°59'32.0"E
RG813	10°00'52.0"N	104°56'45.0"E
RG812	09°55'00.9"N	104°58'16.9"E
RG811	09°56'16.3"N	105°03'11.3"E
RWY08	09°57'23.30"N	105°07'33.75"E
RG826	09°47'22.0"N	105°13'29.0"E