

1. TABULAR DESCRIPTION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	VPA/TCH	Nav Spec
010	IF	RG613	–	–	0	–	–	+1200	–	–	RNP APCH
020	TF	RG612	–	166(165.6)	0	11.12	–	@750	–	–	RNP APCH
010	IF	AGOBI	–	–	0	–	–	-1500 +1200	–	–	RNP APCH
020	TF	RG612	–	218(218.4)	0	13.46	–	@750	–	–	RNP APCH
010	IF	RG826	–	–	0	–	–	+900	–	–	RNP APCH
020	TF	RG614	–	040(039.9)	0	16.21	–	–	–	–	RNP APCH
030	TF	RG612	–	346(345.6)	0	11.12	–	@750	–	–	RNP APCH
010	IF	RG612	–	–	0	–	–	@750	–	–	RNP APCH
020	TF	RG611	–	256(255.6)	0	9.26	–	@450	–	–	RNP APCH
030	TF	RWY26 (MAPT)	Y	256(255.6)	0	8.26	–	@17	–	-3.0/ 15.25	RNP APCH
040	CF	RG671	–	256(255.6)	0	–	–	–	–	–	RNP APCH
050	TF	RG674	–	167(167.1)	0	9.30	–	–	-410	–	RNP APCH
060	TF	RG826	–	112(111.6)	0	19.20	–	@900	–	–	RNP APCH
070	HM	RG826	–	040(040.0)	0	–	R	+900	–	–	RNP APCH

2. HOLDING PROCEDURES

Holding Fix	Inbound Course °M(°T)	Magnetic Variation	Time (min)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
AGOBI	218(218.0)	0	1 ≤ FL140 1.5 > FL140	R	+1200	-425 ≤ FL140 -445 > FL140	RNP APCH
RG826	040(040.0)	0	1 ≤ FL140 1.5 > FL140	R	+900	-425 ≤ FL140 -445 > FL140	RNP APCH

3. WAYPOINT LIST

WAYPOINT ID	COORDINATES (WGS-84)	
AGOBI	10°05'41.0"N	105°22'13.0"E
RG614	09°54'07.0"N	105°19'10.0"E
RG613	10°05'48.0"N	105°16'08.0"E
RG612	09°59'57.5"N	105°17'38.6"E
RG611	09°58'42.5"N	105°12'44.1"E
RWY26	09°57'35.47"N	105°08'21.44"E
RG671	09°56'07.0"N	105°02'35.0"E
RG674	09°51'12.0"N	105°03'43.0"E
RG826	09°47'22.0"N	105°13'29.0"E