

LEGEND						
CONTROL ZONE	(CTR) -----					
TRANSIT ROUTE	- - - - -					
REPORTING POINT	▲					
DEPARTURE/ARRIVAL ROUTING	WB					
DISTANCE IN KILOMETRES	30					
UPPER/LOWER LIMIT	FL460 FL040					
MAGNETIC BEARING	060°					
RADIO NAVIGATION AID	NAME NAVAID TYPE AND FREQUENCY IDENTIFICATION COORDINATES					
	<table border="1"> <tr> <td>RACHGIA</td> </tr> <tr> <td>NDB 335</td> </tr> <tr> <td>RG ---</td> </tr> <tr> <td>09°57'34"N</td> </tr> <tr> <td>105°07'59"E</td> </tr> </table>	RACHGIA	NDB 335	RG ---	09°57'34"N	105°07'59"E
RACHGIA						
NDB 335						
RG ---						
09°57'34"N						
105°07'59"E						
<p>EACH 1° QUADRILATERAL CONTAINS AN AREA MINIMUM ALTITUDE (AMA) WHICH REPRESENTS THE LOWEST ALTITUDE WHICH MAY BE USED UNDER INSTRUMENT METEOROLOGICAL CONDITIONS (IMC). THE AMA PROVIDES A MINIMUM CLEARANCE OF 300 METRES (600M IN MOUNTAINOUS AREAS) ABOVE ALL OBSTACLES IN THE QUADRILATERAL. IT IS REPRESENTED IN THOUSANDS AND TENS OF METRES ABOVE MEAN SEA LEVEL (MSL).</p> <p>EXAMPLE: 1 800 METRES <b>180</b></p>						

