

1. TABULAR DESCRIPTION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	VPA/TCH	Nav Spec
010	IF	IBUTA	–	–	+1	–	–	+1500	-380	–	RNP APCH
020	TF	TH501	–	121(119.8)	+1	12.96	–	+950	–	–	RNP APCH
030	TF	TH502	–	211(209.9)	+1	9.51	–	@600	–	–	RNP APCH
040	TF	RWY21 (MAPT)	Y	211(209.8)	+1	11.02	–	@22	–	-3.0/ 15.25	RNP APCH
050	CA	–	–	225(224.0)	+1	–	–	+450	–	–	RNP APCH
060	DF	LINEN	–	–	+1	–	R	@1200	-445	–	RNP APCH
070	HM	LINEN	–	072(071.1)	+1	–	L	+1200	-380	–	RNP APCH

2. HOLDING PROCEDURES

Holding Fix	Inbound Course °M(°T)	Magnetic Variation	Time (min)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
LINEN	072(071.1)	+1	1 ≤ FL140 1.5 > FL140	L	+1200	-380 ≤ FL140 -445 > FL140	RNP APCH
IBUTA	121(119.8)	+1	1 ≤ FL140 1.5 > FL140	L	+1500	-425 ≤ FL140 -445 > FL140	RNP APCH

3. WAYPOINT LIST

WAYPOINT ID	COORDINATES (WGS-84)	
LINEN	13°12'16.0"N	109°06'31.0"E
IBUTA	13°16'44.8"N	109°19'52.1"E
RWY21	13°03'35.32"N	109°20'26.40"E
TH501	13°13'14.9"N	109°26'05.7"E
TH502	13°08'46.5"N	109°23'28.5"E