

1. TABULAR DESCRIPTION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	VPA/TCH	Nav Spec
010	IF	TOLOB	–	–	+1	–	–	+1500	–	–	RNP APCH
020	TF	TH901	–	106(105.0)	+1	7.69	–	–	-380	–	RNP APCH
030	TF	TH902	–	106(105.0)	+1	9.46	–	+800	-335	–	RNP APCH
010	IF	ADKAX	–	–	+1	–	–	+1500	–	–	RNP APCH
020	TF	TH901	–	176(175.1)	+1	7.69	–	–	-380	–	RNP APCH
030	TF	TH902	–	106(105.0)	+1	9.46	–	+800	-335	–	RNP APCH
010	IF	TH902	–	–	+1	–	–	+800	-335	–	RNP APCH
020	TF	TH903	–	055(054.0)	+1	9.51	–	@450	–	–	RNP APCH
030	TF	TH904 (MAPT)	Y	045(044.3)	+1	5.60	–	@108	–	-3.5°/15.25	RNP APCH
040	CA	–	–	045(044.3)	+1	–	–	+300	–	–	RNP APCH
050	CF	LINEN	–	291(289.8)	+1	–	L	@1200	-425	–	RNP APCH
060	HM	LINEN	–	176(175.1)	+1	–	L	+1200	-370	–	RNP APCH

2. HOLDING PROCEDURES

Holding Fix	Inbound Course °M(°T)	Magnetic Variation	Time (min)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
LINEN	176(175.1)	+1	1 ≤ FL140 1.5 > FL140	L	+1200	-370 ≤ FL140 -445 > FL140	RNP APCH
ADKAX	176(175.1)	+1	1 ≤ FL140 1.5 > FL140	L	+1500	-425 ≤ FL140 -445 > FL140	RNP APCH
TOLOB	106(105.0)	+1	1 ≤ FL140 1.5 > FL140	L	+1500	-425 ≤ FL140 -445 > FL140	RNP APCH

3. WAYPOINT LIST

WAYPOINT ID	COORDINATES (WGS-84)	
ADKAX	13°01'50.4"N	109°07'25.3"E
TOLOB	12°58'45.7"N	109°03'40.5"E
LINEN	13°12'16.0"N	109°06'31.0"E
RWY03 (FTP)	13°02'06.47"N	109°19'47.88"E
RWY03	13°02'13.43"N	109°19'38.49"E
TH901	12°57'41.1"N	109°07'46.9"E
TH902	12°56'21.5"N	109°12'50.2"E
TH903	12°59'23.4"N	109°17'05.4"E
TH904	13°01'33.8"N	109°19'15.3"E