

1. TABULAR DESCRIPTION

KAMGO 1M ARRIVAL

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
010	IF	KAMGO	-	-	+1	-	-	-	-	RNP 1
020	TF	LINEN	-	176(175.1)	+1	9.22	-	-	-	RNP 1
030	TF	ADKAX	-	176(175.1)	+1	19.30	-	+1500	-	RNP 1

KARAN 1G ARRIVAL

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
010	IF	KARAN	-	-	+1	-	-	+FL110	-	RNP 1
020	TF	TH801	-	321(320.0)	+1	30.01	-	+2150	-	RNP 1
030	TF	TOLOB	-	034(033.3)	+1	16.25	-	+1500	-	RNP 1

2. HOLDING PROCEDURES

Holding Fix	Inbound Course °M(°T)	Magnetic Variation	Time (min)	Turn Direction	Altitude (m)	Speed limit (km/h)	Nav Spec
LINEN	176(175.1)	+1	1 ≤ FL140 1.5 > FL140	L	+1200	-370 ≤ FL140 -445 > FL140	RNP 1
ADKAX	176(175.1)	+1	1 ≤ FL140 1.5 > FL140	L	+1500	-425 ≤ FL140 -445 > FL140	RNP 1
TOLOB	106(105.0)	+1	1 ≤ FL140 1.5 > FL140	L	+1500	-425 ≤ FL140 -445 > FL140	RNP 1

3. WAYPOINT LIST

WAYPOINT ID	COORDINATES (WGS-84)	
ADKAX	13°01'50"N	109°07'25"E
KAMGO	13°17'15"N	109°06'05"E
KARAN	12°38'56"N	109°09'24"E
LINEN	13°12'16"N	109°06'31"E
TH801	12°51'24"N	108°58'44"E
TOLOB	12°58'46"N	109°03'41"E