

SID and Transition coding of RNP RWY 02L**1. RNP 1 RWY 02L: FURAL ONE ALPHA DEPARTURE (FURAL 1A)**

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	CF	CR300	-	020°(018.8°)	0°45' W	9.3	-	-	-	-	RNP 1
2	TF	FURAL	-	052°(051.6°)	0°45' W	30.3	-	-2450	-	-	RNP 1

NITOM1A TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	FURAL	-	-	0°45' W	-	-	-2450	-	-	RNP 1
2	TF	RABIN	-	062°(061.5°)	0°45' W	36.0	-	-	-	-	RNP 1
3	TF	NITOM	-	070°(069.2°)	0°45' W	102.2	-	-	-	-	RNP 1

2. RNP 1 RWY 02L: THAKA ONE ALPHA DEPARTURE (THAKA 1A)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	CF	CR300	-	020°(018.8°)	0°45' W	9.3	-	-	-	-	RNP 1
2	TF	CR301	-	347°(346.2°)	0°45' W	14.0	-	-2150	-	-	RNP 1
3	TF	CR303	-	298°(297.6°)	0°45' W	18.0	-	+2750	-	-	RNP 1
4	TF	THAKA	-	234°(233.0°)	0°45' W	25.2	-	+FL140	-	-	RNP 1

NOTE: MIN PDG 7% UNTIL PASSING FL140.**LKH 1A TRANSITION**

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	THAKA	-	-	0°45' W	-	-	+FL140	-	-	RNP 1
2	TF	LKH	-	234°(233.0°)	0°45' W	72.9	-	-	-	-	RNP 1

3. RNP 1 RWY 02L: PANLU ONE ALPHA DEPARTURE (PANLU 1A)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	CF	CR300	-	020°(018.8°)	0°45' W	9.3	-	-	-	-	RNP 1
2	TF	CR301	-	347°(346.2°)	0°45' W	14.0	-	-2150	-	-	RNP 1
3	TF	PANLU	-	298°(297.6°)	0°45' W	22.8	-	+2750	-	-	RNP 1

NOTE: MIN PDG 6% UNTIL PASSING 2750M.**CHUTU 1A TRANSITION**

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	PANLU	-	-	0°45' W	-	-	+2750	-	-	RNP 1
2	TF	CHUTU	-	277°(276.6°)	0°45' W	43.9	-	-	-	-	RNP 1

4. RNP 1 RWY 02L: NIHOA ONE ALPHA DEPARTURE (NIHOA 1A)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	CF	CR300	-	020°(018.8°)	0°45' W	9.3	-	-	-	-	RNP 1
2	TF	CR301	-	347°(346.2°)	0°45' W	14.0	-	-2150	-	-	RNP 1
3	TF	NIHOA	-	347°(346.2°)	0°45' W	16.2	-	-	-	-	RNP 1

NOTE: MIN PDG 6% UNTIL PASSING 2450M.