

STAR and Transition coding of RNP 1 RWY 02L/R**1. RNP 1 RWY 02L/R: COTUN TWO ALPHA ARRIVAL (COTUN 2A)**

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	COTUN	-	-	0°45'W	-	-	+FL120	-	-	RNP 1
2	TF	CR026	-	169°(168.4°)	0°45'W	33.3	-	+2750	-	-	RNP 1
3	TF	CR025	-	201°(199.9°)	0°45'W	15.6	-	-	-	-	RNP 1
4	TF	CR021	-	201°(199.9°)	0°45'W	15.4	-	1500	-	-	RNP 1

KAMGO 1A TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	KAMGO	-	-	0°45'W	-	-	-	-	-	RNP 1
2	TF	SIMME	-	164°(163.2°)	0°45'W	71.4	-	-	-	-	RNP 1
3	TF	COTUN	-	175°(174.5°)	0°45'W	36.4	-	+FL120	-	-	RNP 1

VEPAM 1A TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	VEPAM	-	-	0°45'W	-	-	-	-	-	RNP 1
2	TF	SIMME	-	209°(208.2°)	0°45'W	162.7	-	-	-	-	RNP 1
3	TF	COTUN	-	175°(174.5°)	0°45'W	36.4	-	+FL120	-	-	RNP 1

2. RNP 1 RWY 02L/R: HUNTA TWO ALPHA ARRIVAL (HUNTA 2A)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	HUNTA	-	-	0°45'W	-	-	FL120	-	-	RNP 1
2	TF	CR026	-	233°(232.4°)	0°45'W	21.8	-	+2750	-	-	RNP 1
3	TF	CR025	-	201°(199.9°)	0°45'W	15.6	-	-	-	-	RNP 1
4	TF	CR021	-	201°(199.9°)	0°45'W	15.4	-	1500	-	-	RNP 1

NITOM 1C TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	NITOM	-	-	0°45'W	-	-	-	-	-	RNP 1
2	TF	LIGUN	-	243°(242.0°)	0°45'W	100.3	-	-	-	-	RNP 1
3	TF	HUNTA	-	243°(242.1°)	0°45'W	34.9	-	FL120	-	-	RNP 1

3. RNP 1 RWY 02L/R: ANKIN ONE ALPHA ARRIVAL (ANKIN 1A)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	ANKIN	-	-	0°45'W	-	-	-FL130 +2750	-	-	RNP 1
2	TF	CR027	-	052°(050.9°)	0°45'W	37.0	-	+1850	-	-	RNP 1
3	TF	CR025	-	111°(109.9°)	0°45'W	13.9	-	-	-	-	RNP 1
4	TF	CR021	-	201°(199.9°)	0°45'W	15.4	-	1500	-	-	RNP 1

4. RNP 1 RWY 02L/R: BANKE ONE ALPHA ARRIVAL (BANKE 1A)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	BANKE	-	-	0°45'W	-	-	-FL130 +FL110	-	-	RNP 1
2	TF	CR027	-	081°(080.1°)	0°45'W	38.8	-	+1850	-	-	RNP 1
3	TF	CR025	-	111°(109.9°)	0°45'W	13.9	-	-	-	-	RNP 1
4	TF	CR021	-	201°(199.9°)	0°45'W	15.4	-	1500	-	-	RNP 1