

SID and Transition coding of RNP RWY 28**1. RNP 1 RWY 28: TRUMI TWO ALPHA DEPARTURE (TRUMI 2A)**

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	CF	PQ281	-	276 (275.7)	+0.4	11.1	-	-	-430	RNP 1
2	TF	PQ282	-	186 (185.7)	+0.4	13.0	L	+1500	-430	RNP 1
3	TF	PQ284	-	096 (095.7)	+0.4	19.8	L	+2450	-	RNP 1
4	TF	TRUMI	-	096 (095.7)	+0.4	30.7	-	+FL110	-	RNP 1

TUNPO 2A TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	TRUMI	-	-	+0.4	-	-	+FL110	-	RNP 1
2	TF	TUNPO	-	081 (080.6)	+0.4	29.4	L	-	-	RNP 1

2. RNP 1 RWY 28: HOTUN ONE CHARLIE DEPARTURE (HOTUN 1C)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	CF	PQ281	-	276 (275.7)	+0.4	11.1	-	-	-460	RNP 1
2	TF	PQ282	-	186 (185.7)	+0.4	13.0	L	+1500	-	RNP 1
3	TF	PQ286	-	145 (144.4)	+0.4	19.7	L	+2450	-	RNP 1
4	TF	HOTUN	-	145 (144.4)	+0.4	14.6	-	+FL100	-	RNP 1

ADBOP 1A TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	HOTUN	-	-	+0.4	-	-	+FL100	-	RNP 1
2	TF	TOTRA	-	179 (178.5)	+0.4	29.4	R	+FL140	-	RNP 1
3	TF	ADBOP	-	179 (178.5)	+0.4	115.7	-	-	-	RNP 1

3. RNP 1 RWY 28: NUMDI ONE CHARLIE DEPARTURE (NUMDI 1C)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	CF	PQ281	-	276 (275.7)	+0.4	11.1	-	-	-	RNP 1
2	TF	NUMDI	-	339 (339.0)	+0.4	31.3	R	@2450	-	RNP 1

4. RNP 1 RWY 28: OSOTA ONE CHARLIE DEPARTURE (OSOTA 1C)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	CF	PQ281	-	276 (275.7)	+0.4	11.1	-	-	-460	RNP 1
2	TF	PQ283	-	006 (005.7)	+0.4	13.0	R	-	-	RNP 1
3	TF	PQ285	-	056 (055.4)	+0.4	20.1	R	@1850	-	RNP 1
4	TF	PQ287	-	056 (055.5)	+0.4	9.7	-	+2450	-	RNP 1
5	TF	OSOTA	-	056 (055.5)	+0.4	19.8	-	-	-	RNP 1

5. RNP 1 RWY 28: THILI ONE CHARLIE DEPARTURE (THILI 1C)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	CF	PQ281	-	276 (275.7)	+0.4	11.1	-	-	-460	RNP 1
2	TF	PQ282	-	186 (185.7)	+0.4	13.0	L	+1500	-	RNP 1
3	TF	THILI	-	187 (186.8)	+0.4	24.9	R	+2450	-	RNP 1