

Procedure coding**1. RNAV RWY 25L: ANTRI ONE ECHO DEPARTURE (ANTRI 1E)**

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	CF	TS015	-	250 (249.0)	1° W	12.0	-	-	-	-	RNAV1
2	TF	TS017	-	172 (171.0)	1° W	28.7	L	-3050	-	-	RNAV1
3	TF	TS042	-	172 (171.4)	1° W	29.7	R	+4900	-520	-	RNAV1
4	TF	TS043	-	091 (090.3)	1° W	25.6	L	+FL200	-	-	RNAV1
5	TF	ANTRI	-	024 (022.7)	1° W	109.4	L	-	-	-	RNAV1

PATMA TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	ANTRI	-	-	1° W	-	-	-	-	-	RNAV1
2	TF	PATMA	-	027 (025.6)	1° W	144.2	-	+FL290	-	-	RNAV1

2. RNAV RWY 25L: LANHI ONE HOTEL DEPARTURE (LANHI 1H)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	CF	TS015	-	250 (249.0)	1° W	12.0	-	-	-	-	RNAV1
2	TF	TS017	-	172 (171.0)	1° W	28.7	L	-3050	-	-	RNAV1
3	TF	TS042	-	172 (171.4)	1° W	29.7	R	+4900	-520	-	RNAV1
4	TF	TS043	-	091 (090.3)	1° W	25.6	L	+FL200	-	-	RNAV1
5	TF	LANHI	-	066 (065.1)	1° W	41.2	L	-	-	-	RNAV1

ELSAS TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	LANHI	-	-	1° W	-	-	-	-	-	RNAV1
2	TF	ELSAS	-	128 (127.3)	1° W	49.2	-	+FL250	-	-	RNAV1

3. RNAV RWY 25L: TANOS ONE ECHO DEPARTURE (TANOS 1E)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	CF	TS015	-	250 (249.0)	1° W	12.0	-	-	-	-	RNAV1
2	TF	TS017	-	172 (171.0)	1° W	28.7	L	-3050	-	-	RNAV1
3	TF	TS042	-	172 (171.4)	1° W	29.7	R	+4900	-520	-	RNAV1
4	TF	TS043	-	091 (090.3)	1° W	25.6	L	+FL200	-	-	RNAV1
5	TF	TANOS	-	046 (045.1)	1° W	73.1	L	-	-	-	RNAV1

DOVIN TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	TANOS	-	-	1° W	-	-	-	-	-	RNAV1
2	TF	DOVIN	-	034 (032.7)	1° W	158.1	-	-	-	-	RNAV1

LKH TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	TANOS	-	-	1° W	-	-	-	-	-	RNAV1
2	TF	LKH	-	045 (044.3)	1° W	161.0	-	-	-	-	RNAV1

PTH TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	TANOS	-	-	1° W	-	-	-	-	-	RNAV1
2	TF	PTH	-	075 (073.9)	1° W	85.2	-	+FL250	-	-	RNAV1