

Procedure coding**1. RWY 25L/R - RNAV 1: ANTRI TWO FOXTROT DEPARTURE (ANTRI 2F)
INITIAL CLIMB RWY 25L**

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Radius (km)	Arc Center ID	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	RW25L	-	-	+1	-	-	-	-	-	-	RNAV 1
2	TF	TS652	-	250 (249.1)	+1	7.5	-	-	-	-	-	RNAV 1
3	RF	TS658	-	043 (042.0)	+1	15.8	5.9	TSC03	R	-	-445	RNAV 1

INITIAL CLIMB RWY 25R

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Radius (km)	Arc Center ID	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	RW25R	-	-	+1	-	-	-	-	-	-	RNAV 1
2	TF	TS654	-	250 (249.1)	+1	6.9	-	-	-	-	-	RNAV 1
3	RF	TS658	-	043 (042.0)	+1	15.3	5.7	TSC04	R	-	-445	RNAV 1

ANTRI 2F FROM TS658

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Radius (km)	Arc Center ID	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	TS658	-	-	+1	-	-	-	-	-	-445	RNAV 1
2	RF	TS662	-	098 (097.3)	+1	5.7	5.9	TSC03	R	-	-445	RNAV 1
3	TF	TS664	-	098 (097.3)	+1	5.7	-	-	-	+1200	-	RNAV 1
4	TF	TS666	-	098 (097.3)	+1	9.3	-	-	-	+1850	-	RNAV 1
5	TF	TS668	-	089 (088.3)	+1	13.9	-	-	-	+3050	-	RNAV 1
6	TF	TS814	-	089 (088.3)	+1	23.7	-	-	-	+3650	-	RNAV 1
7	TF	TS816	-	032 (031.3)	+1	17.2	-	-	-	-	-	RNAV 1
8	TF	ANTRI	-	032 (031.3)	+1	17.2	-	-	-	-	-	RNAV 1

DOVIN TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Radius (km)	Arc Center ID	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	ANTRI	-	-	+1	-	-	-	-	-	-	RNAV 1
2	TF	DOVIN	-	050 (048.6)	+1	126.6	-	-	-	-	-	RNAV 1

DILIN TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Radius (km)	Arc Center ID	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	ANTRI	-	-	+1	-	-	-	-	-	-	RNAV 1
2	TF	DILIN	-	065 (063.5)	+1	110.0	-	-	-	-	-	RNAV 1

PTH TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Radius (km)	Arc Center ID	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	ANTRI	-	-	+1	-	-	-	-	-	-	RNAV 1
2	TF	PTH	-	107 (105.7)	+1	94.9	-	-	-	-	-	RNAV 1

PATMA TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Radius (km)	Arc Center ID	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	ANTRI	-	-	+1	-	-	-	-	-	-	RNAV 1
2	TF	PATMA	-	027 (025.6)	+1	144.2	-	-	-	-	-	RNAV 1