

Procedure coding (cont.)**VETOM TRANSITION**

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	VETOM	-	-	1° W	-	-	-	-	-	RNAV1
2	TF	BAOMY	-	218 (217.2)	1° W	50.3	-	-	-	-	RNAV1

PTH TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	PTH	-	-	1° W	-	-	-	-	-	RNAV1
2	TF	BAOMY	-	266 (265.0)	1° W	81.5	-	-	-	-	RNAV1

6. RNAV RWY 07R: BITIS TWO ECHO ARRIVAL (BITIS 2E)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	BITIS	-	-	1° W	-	-	-4250	-	-	RNAV1
2	TF	TS029	-	051 (049.9)	1° W	46.1	-	-	-	-	RNAV1
3	TF	TS026	-	340 (339.0)	1° W	13.0	L	-3050	-410	-	RNAV1
4	TF	TS025	-	250 (249.0)	1° W	29.6	L	-	-410	-	RNAV1
5	TF	TS024	-	340 (339.0)	1° W	13.0	R	-	-370	-	RNAV1
6	TF	TS023	-	070 (069.0)	1° W	7.4	R	-	-370	-	RNAV1
7	TF	TS022	-	070 (069.0)	1° W	7.4	-	-	-370	-	RNAV1
8	TF	TS021	-	070 (069.0)	1° W	7.4	-	-	-370	-	RNAV1
9	TF	VEXID	-	070 (068.8)	1° W	8.3	-	+600	-370	-	RNAV1

TRN TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	TRN	-	-	1° W	-	-	-	-	-	RNAV1
2	TF	BITIS	-	072 (071.2)	1° W	62.8	-	-4250	-	-	RNAV1

7. RNAV RWY 07R: XOBAY ONE GOLF ARRIVAL (XOBAY 1G)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	XOBAY	-	-	1° W	-	-	-4250	-	-	RNAV1
2	TF	TS029	-	351 (349.7)	1° W	44.4	-	-	-	-	RNAV1
3	TF	TS026	-	340 (339.0)	1° W	13.0	L	-3050	-410	-	RNAV1
4	TF	TS025	-	250 (249.0)	1° W	29.6	L	-	-410	-	RNAV1
5	TF	TS024	-	340 (339.0)	1° W	13.0	R	-	-370	-	RNAV1
6	TF	TS023	-	070 (069.0)	1° W	7.4	R	-	-370	-	RNAV1
7	TF	TS022	-	070 (069.0)	1° W	7.4	-	-	-370	-	RNAV1
8	TF	TS021	-	070 (069.0)	1° W	7.4	-	-	-370	-	RNAV1
9	TF	VEXID	-	070 (068.8)	1° W	8.3	-	+600	-370	-	RNAV1

ELSAS TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	ELSAS	-	-	1° W	-	-	-	-	-	RNAV1
2	TF	TS033	-	271 (270.2)	1° W	74.3	-	-4550	-	-	RNAV1
3	TF	XOBAY	-	272 (270.5)	1° W	25.0	-	-4250	-	-	RNAV1